


Mahaki Suka'

Fai'e
Ann Marie Brooks
&
Kulaea Taulanga



Mahaki Suka'

- Ko e suka' `oku fakatu`utāmaki.
- Ko e suka' `e lava ke tāmate.
- Ko e tokolahi `o e kau Polinisia' (kau Tonga) `oku nau ma`u `a e suka'.
- Mahaki suka' — Ko e fu`u hulu fau `a e lahi `o e suka' `i he totó — pea `oku` ne maumau`i `a e sino.'
- `E lava ke mole ai ho`o:
Sio'-mata kui
Va`e'-ve`e mutu, mo e
Fakafanau'
- Ko e fu`u lahi fau `a e suka': `i he totó `oku `ne maumau`i
Ho mafu'
Ho `atamai'
Ho kofuua'
Ho ngaahi halanga toto', mo
Ho nifo'
- `Oku` `ikai ke `i ai ha faito`o ki he suka' kā te ke lava pē `o māpule'i.
- `Oku lava pē ke ke mo`ui lelei.

English: Diabetes is serious; diabetes can kill; many Polynesians (Tongans) have diabetes; Diabetes (too much sugar in the blood) hurts the body; you could lose your: sight, feet, sexuality. Too much sugar in the blood can hurt: your heart, your brain, your kidneys, your blood vessels, your teeth. There is no cure for diabetes but you can control diabetes. You can be healthy.

Ko e Kalasi `e 3 `o e Suka'

- **Uluaki**—`oku meimei ke `ohofi `a e to`utupu' pea pau ai ke nau huhu suka (insulin) kinautolu.
- **Ua**—`Oku meimei ke `ohofi `a e kakai motu`a ange he ta`u 30'. `E lava ke nau ngāue `aki `a e huhu suka' pē ko e folo fo`i` akau'.
- **Tolu**—Hoko lolotonga `a e feitama` `a e kakai fefine'.

Kuo pau ke fai `a e tokanga makehe ki he fā`e ke ne ma`u ha pēpē mou`i lelei.



Three kinds of diabetes: Type 1 usually strikes younger people, must have insulin; Type 2 usually strikes people over 30, may use insulin or pills. Third, gestational (during pregnancy), mother needs special care to have a healthy baby.

‘I he lahi fe `unga `a e suka’ `i he totó—`oku ke mo `ui lelei ai.

- ‘I he fu`u si`isi`i `a e suka’—`a ia ko e `i lalo he 70’,
Te ke ongo`i tāvaivaia, pupuha`ia mo tauta`a.
- Ko e fu`u hulu fau `a e suka’—`a ia ko e mā`olunga ange he
200, te ke ongo`i hela`ia mo fiemohea.
- ‘Oku ke ongo`i puke he `aho’ ni?

Sivi ho suka’,

Faka `ehi `ehi ma`u pē, mo

Inu `a e vai’ ke lahi.



Sivi ma`u pē `a e lahi ho suka’

- He taimi `oku tala atu `e he toketā’
- Taimi `oku ke ongo `i “faikehe” ai’
- Tu`uga totonu mo lelei ke `i ai ho suka’
Ko e 80-110 ki mu`a pea ke kai’.
- Tu`unga totonu mo lelei ke `i ai ho suka’,
ke `i lalo he 160 `i he `osi `a e kai’.

English: Normal blood sugar keeps you healthy; too low (below 70), you feel shaky and sweaty. Too high (over 200), you feel tired and sleepy. Are you sick today? Test your sugar; be safe; drink plenty of water. Test Blood sugar levels when the doctor says, when you feel “odd,” and a good/safe level is: 80-110 pre-meal, under 160 after eating.

Ko e ngaahí faito`o `o e Suka'

- Ko e kakai 'e ni'ihi 'oku' nau folo fo 'i'akau
- Ko e kakai `e ni `ihi `oku' nau` huhu suka (insulin).
- Folo `a e fo `i `akau' pē huhu` `i hono taimi totonu.
- Fai `i he `aho kotoa pē.



Diabetes Medicine: Some people take pills; some people take insulin; take medicine on time; take it every day.

Fekau‘aki mo Koe

- Ko e pule‘ koe.
- Ko koe pē ‘e lava ‘o tokoni kiate koe’.

‘Oua ‘e ifi tapaka

Tokanga`i `a e lahi `o e suka` `i ho toto’.

Tokanga`i `a e mā`olunga ho toto’

Sivi ma`u pē `i he taimi totonu `a ho:

mata‘
ongo va`e‘
huhu malu`i mei he flu‘
ngako `i he toto‘ (kolesitalolo), mo e

Folo ma `u pē `a e `esipilini pēpē `e taha he `aho, tuku
kehe kapau `oku ta`ofi `e he toketā’.



English: About you: you are the boss; you can help yourself; don’t smoke, watch blood sugar, watch blood pressure, have regular checkups of your eyes, feet; have a flu shot, cholesterol, and take a baby aspirin every day unless the doctor says no.

'E lava ke tokoni ho famili' mo ho ngaahi kaungāme'a' kiate koe ke ke:

- Ngaungaue mo longomou'i
- Fili `a e me `akai `oku fakatupu mo`ui lelei'
- Mou`i fiefia
- Sivi `a e suka` `i ho toto,'
- `Ave koe ki he toketā', mo
- `Omai ho'o ngaahi fiema'u' pē ko ho 'o ngaahi faito'o'.



English: Family and friends can help you: move more, choose healthy foods, feel happy, test blood sugar , get to the doctor, and get supplies or medicine.

‘E lava ke tolonga ho va`e’

- Kuo pau pē ke hao lelei `a e sū ‘oku’ ke tui’.
- Tui e sitōkeni ‘oku molū mo molemole
- Fufulu ma `u pē ho va `e’ ‘i he `aho kotoa, pea holo mātu`u.
- Óua `e `alu holo la`iva`e (ta `e sú).
- ‘Oku `i ai ha lavea pē ko ha fo`i pala—Sio leva ki he toketā’ `oua `e toe fakatatali.



English: Feet can last. Shoes must fit. Socks must be smooth. Wash feet daily and dry. Don't go barefoot. Do you have a sore? See a doctor ; don't wait.

**`Oku hanga `e he longomou`i` `o ngaohi koe ke ke toe mālohi
ange**

- Fai `a e ngaahi me `a `oku` ke manako ki ai`
- Feinga ke ke fai ia `i he `aho kotoa pē



English: Moving makes you stronger. Do something you like. Try to do it every day.

Me`akai fakatupu mo `ui lelei'

- `Oku mahu`inga `aupito `a e me`akai fakatupu mo`ui lelei'
- `Oku mahu`inga ke `oua te ke fu`u sino `o mahamahaki ai.
`Oku fiema `u `a e sino` ke longomo`ui.
- `Oku fiema`u `e he sino``a e me`akai `oku fakafe`unga
 1. Kai tu`o 3 he `aho (^oua `e hala ha houa kai)
 2. Kai `a e ngaahi me`atokoni lelei kalasi kehekehe
 3. Ko e fua`i `akau `oku lelei `aupito ki he`etau mou`i`
 4. Fakasi`isi`i` `a e kai me `a ngako` mo fakapaku`, mo
e kai `i he kalasi falekai hangē ko e Mekitānolo`



English: Food for health; healthy food is important; healthy weight is important; the body must be able to move. The body needs the right amount of food. Eat 3 meals a day (don't skip meals.) Eat a variety of good foods. Fresh food is best (no way to describe fiber). Eat less fried or "fast" foods.

Ko e Me‘atokoni lelei taha—Maama Lanumata—Ta‘e fakangatangata he ngaahi meátokoni ko eni


- Letisi, kapisi, polo (Vesitapolo lanumata)
- Kāloti
- Kolifalaoa
- Temata
- Onioni
- Lú
- Kiūkamupa



English: Green light foods; you can eat a lot. The foods listed are: green vegetables, lettuce, cabbage, peppers, cucumbers carrots, cauliflower, tomatoes, onions, taro leaves. The photos are: broccoli, onions and tomatoes, kimshee, and greens.

Me`akai Maama Engeenga'—Kai Fakafuofua he `aho kotoa.

- Fuā `i `akau'—konga `e 3-4 he `aho.
- Hu`akau' ipu 2-3 `i he `aho.
- Kakano`i moa', ika pe kakano `i manu— aunise `e 4-8 he `aho.
- Me`akai sitaasi'—vaeua ipu 2-3 `i he hikinga kai.
- Fo `imoa'—3 pē `i he uike.



English: See next page

Me‘akai Maama Engeenga’—Kai Fakafuofua he `aho kotoa.

- Ko e kakai ſiki’, ke nau kai si ū
- Ko e kakai tangata ‘oku ngāue’-te nau kai lahi ange
- ‘Oku hā atu ‘a e ngaahi tā ‘o e-



Siane mata

Talo

‘Ufi

Māniōke

Kumala, pea mo e

Laise foki



English: Yellow light foods: Eat some every day, amount is important. Fruit, 3-4 pieces per day. Milk or yogurt, 2-3 cups per day; eggs, 3 per week, lean meat or chicken or fish, 4-8 ounces per day. Starchy foods, 2-3 servings (half cup) per meal. Small people eat less and working men eat more. Shown are green bananas, fruit, taro, yams tapioca and manioc, as well as rice. Note: These foods are healthy and we are only suggesting that portions must be limited due to cultural problems with portion sizes.

Me`akai Maama Kulokula'

- Fakatokanga: Fakasi`isi`i `aupito hono kai'

Kalasi pateta sipi (Chips)

Keke moe pisikete

ˋAisikilimi

Pata pe koe masalini

Meioneisi

Lolo salati

Māsimā

Kava mālohi

Me`akai ngako-hange ko e kili`i` puaka tunu'

Hu`akau kapa melie

Niu taufua

Fa `ahinga me`akai ngako pē fakapaku



English: Red light foods: be careful; eat only small portions—chips, cake, cookies, icecream, butter or margerine, mayonnaise, salad dressing, salt, kava, alcohol, food with fat, (pork skins), sweet condensed milk , coconut, and fatty, fried foods.

Fakamālō:

Kulaea Taulanga, tokotaha liliu lea (translator)

Kaingalotu `o e Siasi Uesiliana Tau`a tāina`o Tonga `i Utah
(Members of the Free Wesleyan Church of Tonga)

Karmeen Kulkarni, fakatonutonu (content review)

Lynn Elstein, fa`ifa`itaki`anga (mentor)

Sandy Garity, faiako (instructor)

Paul Brooks, Faita mo e tokoni fakakomipiuta (All-around computer support and photographer)

‘Ofisi ‘a e Siteiti ‘o Utah ma‘a e Kainga ‘Otumotu Pasifiki (Utah State Office of Pacific Islander Affairs)

Peres Polynesian market, Mr. James Chung

Smith’s Food and Drug

Pauliasi M. Vainuku (photos)

Supported by Cooperative Agreement #U32/CCU815668 from the Centers for Disease Control and Prevention (CDC). This book is in the public domain and is not copyrighted. Anyone may reproduce any or all of the contents. The contents are solely the responsibility of the Authors and do not necessarily represent the official view of the CDC.